SAFETY DATA SHEET

ACID/STARCH INDICATOR

Issued: 18/04/00 Revision No: 1

Danum Laboratory Services

2 Dunscroft Grove

Rossington

Doncaster DN11 0UL Tel: 01302 864668 Fax: 01302 860880

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: ACID/STARCH INDICATOR

Product code: RT1230 Use / description of product: Irritant.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient 1: DLS ACID/STRACH >90%

[Xi] R36/38;

3. HAZARDS IDENTIFICATION

Main hazards: Irritating to eyes and skin.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. FIRST AID MEASURES (ACTION)

Skin contact: Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: If conscious, give 1 pint of water to drink immediately.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Water. Dry chemical powder. Carbon dioxide. Vapourising Liquids. Foam

Exposure hazards: In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

7. HANDLING AND STORAGE

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hand protection: Protective gloves.Eye protection: Safety goggles.

Skin protection: Protective clothing with elasticated cuffs and closed neck.

SAFETY DATA SHEET

ACID/STARCH INDICATOR

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Solid Colour: White

Odourless

Solubility in water: Soluble

pH: 1

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

Materials to avoid: Oxidising agents.

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

Waste disposal: Dispose of as normal industrial waste.

Disposal of packaging Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID

UN no: 2967 **ADR Class:** 8

Hazard ID no: 80 Labelling: 8

Shipping name: SULPHAMIC ACID

IMDG / IMO

UN no: 2967

Class: 8

Packing group: III

EmS: 8-08

Marine pollutant: NO

Labelling: 8

IATA / ICAO

UN no: 2967

Class: 8

Packing group: III

Packing instructions: 823

Quantity 100 kg

Labelling: 8

SAFETY DATA SHEET

ACID/STARCH INDICATOR

15. REGULATORY INFORMATION

Hazard symbols: Irritant.

×

Risk phrases: R36/38: Irritating to eyes and skin.

Safety phrases: S28: After contact with skin, wash immediately with plenty of ...

S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye $\it /$ face protection.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's

attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or

provisions.

16. ADDITIONAL INFORMATION

Additional information: The information contained within this MSDS is based on bulk quantities. The user

should bear in mind the reduced hazard associated with the small quantities normally

associated with test kit reagents, and adjust their responses accordingly.

Risk phrases used in s.2: R36/38: Irritating to eyes and skin.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any damage

resulting from handling or from contact with the above product.