

SAFETY DATA SHEET

ALK3

Page 1

Issued: 07/04/03

Revision No: 1

Danum Laboratory Services

2 Duncroft Grove

Rossington

Doncaster DN11 0UL

Tel: 01302 864668

Fax: 01302 860880

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: ALK3

Product code: rd1201

Use / description of product: Corrosive. Liquid. Please note the small quantity - and refer to additional information on the last page of this MSDS

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient 1: DLS ALK3 >90%

[C] R35;

3. HAZARDS IDENTIFICATION

Main hazards: Causes severe burns.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Do not induce vomiting.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Carbon dioxide. Dry chemical powder.

Exposure hazards: In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not discharge into drains or rivers.

7. HANDLING AND STORAGE

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

9. PHYSICAL AND CHEMICAL PROPERTIES

10. STABILITY AND REACTIVITY

[cont...]

ALK3

11. TOXICOLOGICAL INFORMATION**12. ECOLOGICAL INFORMATION****13. DISPOSAL CONSIDERATIONS**

Waste disposal: Dispose of as normal industrial waste.

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION**ADR / RID**

UN no: 1830

ADR Class: 8

Hazard ID no: 80

Labelling: 8

Shipping name: SULPHURIC ACID WITH >51% ACID

IMDG / IMO

UN no: 1830

Packing group: II

IATA / ICAO**15. REGULATORY INFORMATION**

Hazard symbols: Corrosive.



Risk phrases: R35: Causes severe burns.

Safety phrases: S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28: After contact with skin, wash immediately with plenty of ...

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. ADDITIONAL INFORMATION

Additional information: The information contained within this MSDS is based on bulk quantities. The user should bear in mind the reduced hazard associated with the small quantities normally associated with test kit reagents, and adjust their responses accordingly.

Risk phrases used in s.2: R35: Causes severe burns.

[cont...]

SAFETY DATA SHEET

ALK3

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.