SAFETY DATA SHEET

ALKALINITY TITRANT

Issued: 27/04/00 Revision No: 1

Danum Laboratory Services

2 Dunscroft Grove

Rossington

Doncaster DN11 0UL Tel: 01302 864668 Fax: 01302 860880

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: ALKALINITY TITRANT

Product code: TC2002

Synonyms: ALKALINITY CARTRIDGE CODE NRR091

Use / description of product: No significant hazard. Liquid.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient 1: SULPHURIC ACID <10%

CAS: 7664-93-9 EINECS: 231-639-5

[C] R35;

3. HAZARDS IDENTIFICATION

Main hazards: No significant hazard.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. FIRST AID MEASURES (ACTION)

Skin contact: Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: If conscious, give 1 pint of water to drink immediately.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Dry chemical powder. Vapourising Liquids. Water. Carbon dioxide. Foam

Protection of fire-fighters: Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not allow large quantities to enter local drainage systems

Clean-up procedures: Neutralise with dilute sodium hydroxide solution testing with litmus paper periodically.

Wash down the drain with large amounts of water. Wash the spillage site with large

SAFETY DATA SHEET

ALKALINITY TITRANT

amounts of water.

7. HANDLING AND STORAGE

Handling requirements: Avoid direct contact with the substance.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hand protection: Protective gloves.

Eye protection: Safety goggles. Face-shield.

Skin protection: Protective clothing with elasticated cuffs and closed neck.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Colourless
Odour: Odourless

Viscosity: Non-viscous

Oxidising: Non-oxidising (by EC criteria)

Evaporation rate: Slow

Solubility in water: Miscible in all proportions

pH: 0-1

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Materials to avoid: Bases.

Haz. decomp. products: In combustion emits toxic fumes of sulphur oxides.

11. TOXICOLOGICAL INFORMATION

Ingredient 1: SULPHURIC ACID...100%

ORL RAT LD50 2140mg/kg

12. ECOLOGICAL INFORMATION

Mobility: Non-volatile.

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

Other adverse effects: Negligible ecotoxicity.

13. DISPOSAL CONSIDERATIONS

Waste disposal: Dispose of as normal industrial waste.

Disposal of packaging Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID

UN no: : none

IMDG / IMO

SAFETY DATA SHEET

ALKALINITY TITRANT

IATA / ICAO

15. REGULATORY INFORMATION

Hazard symbols: No significant hazard.

Safety phrases: S2: Keep out of the reach of children.

S24/25: Avoid contact with skin and eyes.

Note: The regulatory information given above only indicates the principal regulations

specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or

provisions.

16. ADDITIONAL INFORMATION

Additional information: The information contained within this MSDS is based on bulk quantities. The user

should bear in mind the reduced hazard associated with the small quantities normally

associated with test kit reagents, and adjust their responses accordingly.

Risk phrases used in s.2: R35: Causes severe burns.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any damage

resulting from handling or from contact with the above product.