

SAFETY DATA SHEET

BP1V

Page 1

Issued: 06/08/01

Revision No: 1

Danum Laboratory Services

2 Duncroft Grove

Rossington

Doncaster DN11 0UL

Tel: 01302 864668

Fax: 01302 860880

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: BP1V

Product code: RC5101

Use / description of product: Corrosive.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient 1: DLS REAGENT BP1V >90%

[C] R34;

Contains: VANADOMOLYBDATE

3. HAZARDS IDENTIFICATION

Main hazards: Causes burns.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be redness or whiteness of the skin in the area of exposure.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. Corrosive burns may appear around the lips.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Do not induce vomiting.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Carbon dioxide.

Exposure hazards: Corrosive.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not discharge into drains or rivers.

Clean-up procedures: Absorb into dry earth or sand.

[cont...]

BP1V

7. HANDLING AND STORAGE**Handling requirements:** Ensure there is sufficient ventilation of the area.**Storage conditions:** Store in cool, well ventilated area. Keep away from direct sunlight.**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Engineering measures:** Ensure there is sufficient ventilation of the area.**Hand protection:** Protective gloves.**Eye protection:** Safety goggles. Ensure eye bath is to hand.**Skin protection:** Protective clothing with elasticated cuffs and closed neck.**9. PHYSICAL AND CHEMICAL PROPERTIES****State:** Liquid**10. STABILITY AND REACTIVITY****Stability:** Stable under normal conditions.**Conditions to avoid:** Direct sunlight. Heat.**11. TOXICOLOGICAL INFORMATION****12. ECOLOGICAL INFORMATION****13. DISPOSAL CONSIDERATIONS****Waste disposal:** Disposal should be dealt with only by qualified personnel familiar with the specific substance.**Disposal of packaging** Dispose of as normal industrial waste.**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.**14. TRANSPORT INFORMATION****ADR / RID****UN no:** 3264**ADR Class:** 8**Hazard ID no:** 80**Labelling:** 8**Shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.**IMDG / IMO****UN no:** 3264**Packing group:** II**IATA / ICAO****15. REGULATORY INFORMATION****Hazard symbols:** Corrosive.**Risk phrases:** R34: Causes burns.**Safety phrases:** S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

[cont...]

SAFETY DATA SHEET

BP1V

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. ADDITIONAL INFORMATION

Risk phrases used in s.2: R34: Causes burns.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.