CL1P

Issued: 11/05/01 Revision No: 1

Danum Laboratory Services

2 Dunscroft Grove

Rossington

Doncaster DN11 0UL Tel: 01302 864668 Fax: 01302 860880

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: CL1P

Product code: RD1700

Use / description of product: Solid. Irritant. The regulatory information is dependent upon the concentration limit of

the specific substance.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient 1: DLS CL1P >90%

[Xi] R36/38;

3. HAZARDS IDENTIFICATION

Main hazards: Irritating to eyes and skin.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: Irritation or pain may occur at the site of contact. Severe burns may occur.

Eye contact: There may be irritation and pain. Corneal burns may occur. Nausea and stomach pain may occur. There may be vomiting.

Ingestion:

Nausea and stomach pain may occur. There may be vomiting. Drowsiness or mental Inhalation:

confusion may occur. There may be loss of consciousness.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Do not induce vomiting. If conscious, give 1 pint of water to drink immediately. If

unconscious, check for breathing and apply artificial respiration if necessary. If

unconscious and breathing is OK, place in the recovery position. Transfer to hospital

as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Carbon dioxide.

Exposure hazards: In combustion emits toxic fumes.

Wear self-contained breathing apparatus. Wear protective clothing to prevent contact **Protection of fire-fighters:**

with skin and eyes. Wear self-contained breathing apparatus.

CL1P

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the spillage site with large amounts of water.

7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the

substance.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.Eye protection: Safety goggles.

Skin protection: Protective clothing with elasticated cuffs and closed neck.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Solid

Colour: White crystalline

Odourless

Solubility in water: Soluble

Boiling point/range°C: Decomposes

Melting point/range°C: 200

pH: 1

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

Materials to avoid: Oxidising agents. Halogens.

Haz. decomp. products: In combustion emits toxic fumes of sulphur oxides. In combustion emits toxic fumes of

nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

Waste disposal: Dispose of as normal industrial waste.

Disposal of packaging Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

14. TRANSPORT INFORMATION

CL1P

ADR / RID

UN no: 2967
ADR Class: 8
Hazard ID no: 80
Labelling: 8

Shipping name: SULPHAMIC ACID

IMDG / IMO

UN no: 2967

Class: 8

Packing group: III

EmS: 8-08

Marine pollutant: NO

Labelling: 8

IATA / ICAO

UN no: 2967

Class: 8

Packing group: III

Packing instructions: 823

Quantity 100 kg

Labelling: 8

15. REGULATORY INFORMATION

Hazard symbols: Irritant.

X

Risk phrases: R36/38: Irritating to eyes and skin. **Safety phrases:** S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show

the label where possible).

S24/25: Avoid contact with skin and eyes.

Note: The regulatory information given above only indicates the principal regulations

specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or

rovisions

16. ADDITIONAL INFORMATION

Risk phrases used in s.2: R36/38: Irritating to eyes and skin.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any damage

[cont...]

CL1P

resulting from handling or from contact with the above product.