# SAFETY DATA SHEET

FERRO TITRANT

Issued: 27/04/00 Revision No: 1

Page 1

Danum Laboratory Services 2 Dunscroft Grove Rossington Doncaster DN11 0UL Tel: 01302 864668 Fax: 01302 860880

# 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: FERRO TITRANT

Product code: TC2060

Use / description of product: Irritant. Liquid.

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

#### Ingredient 1: DLS FERRO TITRANT >90%

[Xi] R36/38;

#### 3. HAZARDS IDENTIFICATION

Main hazards: Irritating to eyes and skin.

# 4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

### 4. FIRST AID MEASURES (ACTION)

Skin contact: Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin.

**Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: If conscious, give 1 pint of water to drink immediately.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

# 5. FIRE-FIGHTING MEASURES

Extinguishing media: ALL EXTINGUISHING AGENTS CAN BE USED

Exposure hazards: In combustion emits toxic fumes.

Protection of fire-fighters: Moderate fire and explosion hazard when exposed to heat or flame.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not allow large quantities to enter local drainage systems

#### 7. HANDLING AND STORAGE

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hand protection: Protective gloves.

Eye protection: Safety goggles. Face-shield.

Skin protection: Protective clothing with elasticated cuffs and closed neck.

Issued: 27/04/00

# SAFETY DATA SHEET FERRO TITRANT

9. FRISICAL AND CREWI	9. PHYSICAL AND CHEMICAL PROPERTIES	
State:	Liquid	
Colour:	Clear orange	
Odour:	Odourless	
Solubility in water:	Miscible in all proportions	
pH:	0-1	
10. STABILITY AND REACTIVITY		
Stability:	Stable under normal conditions.	
Conditions to avoid:	Heat.	
Materials to avoid:	Bases.	
Haz. decomp. products:	In combustion emits toxic fumes.	
11. TOXICOLOGICAL INFORMATION		
12. ECOLOGICAL INFORMATION		
13. DISPOSAL CONSIDERA	ATIONS	
Waste disposal:	Dispose of as normal industrial waste.	
Disposal of packaging	Dispose of as normal industrial waste.	
NB:	The user's attention is drawn to the possible existence of regional or national regulations	
	regarding disposal.	
14. TRANSPORT INFORMATION		
ADR / RID		
UN no:	1760	
ADR Class:	8	
Hazard ID no:	88	
Labelling:	8	
Shipping name:	CORROSIVE LIQUID, N.O.S.	
IMDG / IMO		
UN no:	1760	
Class:	8	
Packing group:	Ι	
EmS:	8-15	
Marine pollutant:	YES	
Labelling:	8	
IATA / ICAO		
UN no:	1760	
Class:	8	
Packing group:	1	
Packing group: Packing instructions:		
	809	

Issued: 27/04/00

# SAFETY DATA SHEET FERRO TITRANT

15. REGULATORY INFORMATION	
Hazard symbols:	Irritant.
	<b>X</b>
Risk phrases:	R36/38: Irritating to eyes and skin.
Safety phrases:	S2: Keep out of the reach of children.
	S26: In case of contact with eyes, rinse immediately with plenty of water and seek
	medical advice.
	S45: In case of accident or if you feel unwell, seek medical advice immediately (show
	the label where possible).
Note:	The regulatory information given above only indicates the principal regulations
	specifically applicable to the product described in the safety data sheet. The user's
	attention is drawn to the possible existence of additional provisions which complete
	these regulations. Refer to all applicable national, international and local regulations or
	provisions.
16. ADDITIONAL INFORMATION	
Risk phrases used in s.2:	R36/38: Irritating to eyes and skin.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any damage
	resulting from handling or from contact with the above product.

Page 3