

SAFETY DATA SHEET

SILICA REAGENT 3

Page 1

Issued: 25/04/00

Revision No: 1

Danum Laboratory Services

2 Duncroft Grove

Rossington

Doncaster DN11 0UL

Tel: 01302 864668

Fax: 01302 860880

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: SILICA REAGENT 3

Product code: RC5525

Use / description of product: Irritant. For use in small quantities, for water analysis.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient 1: SODIUM METABISULPHITE 10-30%

CAS: 7681-57-4

EINECS: 231-673-0

[Xn] R22; [-] R31; [Xi] R41;

Ingredient 2: RAW SODIUM SULPHITE <10%

Ingredient 3: RAW 1-AMINO-2-NAPHTHOL-4-SULPHONIC ACID <10%

CAS: 116-63-2

[Xi] R36/37/38;

3. HAZARDS IDENTIFICATION

Main hazards: Irritating to eyes, respiratory system and skin.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. FIRST AID MEASURES (ACTION)

Skin contact: Drench the affected skin with running water for 10 minutes or longer if substance is still on skin.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Irrigate thoroughly for at least 10 minutes. If discomfort persists OBTAIN MEDICAL ATTENTION.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Water. Dry chemical powder. Carbon dioxide. Foam Vapourising Liquids.

Exposure hazards: In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus.

[cont...]

SAFETY DATA SHEET
SILICA REAGENT 3**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: Refer to section 8 of SDS for personal protection details.

Clean-up procedures: Transfer to a suitable container. Wash the spillage site with large amounts of water.

7. HANDLING AND STORAGE

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Avoid contact with water or humidity.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hand protection: Protective gloves.

Eye protection: Safety goggles.

Skin protection: Protective clothing with elasticated cuffs and closed neck.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Powder

Colour: Orange-red

Odour: Irritating odour which may affect the eyes and respiratory system

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

pH: 6-7

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat. Moist air. Humidity.

Materials to avoid: Acids. Oxidising agents.

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION**12. ECOLOGICAL INFORMATION****13. DISPOSAL CONSIDERATIONS**

Waste disposal: Dispose of as normal industrial waste.

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION**ADR / RID**

UN no: : none

IMDG / IMO**IATA / ICAO****15. REGULATORY INFORMATION**

Hazard symbols: Irritant.



Risk phrases: R36/37/38: Irritating to eyes, respiratory system and skin.

Safety phrases: S26: In case of contact with eyes, rinse immediately with plenty of water and seek

[cont...]

SAFETY DATA SHEET
SILICA REAGENT 3

medical advice.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. ADDITIONAL INFORMATION

Additional information: The information contained within this MSDS is based on bulk quantities. The user should bear in mind the reduced hazard associated with the small quantities normally associated with test kit reagents, and adjust their responses accordingly.

Risk phrases used in s.2: R22: Harmful if swallowed.
R31: Contact with acids liberates toxic gas.
R41: Risk of serious damage to eyes.
R36/37/38: Irritating to eyes, respiratory system and skin.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.