SODIUM HYDROXIDE 1.0N

Issued: 27/04/00 Revision No: 1

**Danum Laboratory Services** 

2 Dunscroft Grove

Rossington

Doncaster DN11 0UL Tel: 01302 864668

Fax: 01302 860880

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: SODIUM HYDROXIDE 1.0N

**Product code:** SH1N

Use / description of product: Liquid. Corrosive. The regulatory information is dependent upon the concentration limit

of the specific substance.

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

**Ingredient 1:** CH2 #3 <10%

[C] R35;

#### 3. HAZARDS IDENTIFICATION

Main hazards: Causes burns.

### 4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: Irritation or pain may occur at the site of contact. Blistering may occur. Severe burns

may occur.

Eye contact: There may be irritation and redness. The eyes may water profusely. Corneal burns may

occur.

**Ingestion:** There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Corrosive burns may appear around the lips. Nausea and stomach pain may

occur. There may be vomiting.

Inhalation: There may be a feeling of tightness in the chest with shortness of breath. Exposure may

cause coughing or wheezing. There may be congestion of the lungs causing severe

shortness of breath. There may be loss of consciousness.

#### 4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

**Ingestion:** Do not induce vomiting. If substance swallowed is corrosive, give 1 cup of water to

drink every 10 minutes. If unconscious, check for breathing and apply artificial

respiration if necessary. If unconscious and breathing is  $\ensuremath{\mathsf{OK}},\ \ensuremath{\mathsf{place}}\ \ensuremath{\mathsf{in}}$  in the recovery

position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

#### SODIUM HYDROXIDE 1.0N

unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

#### 5. FIRE-FIGHTING MEASURES

Extinguishing media: Carbon dioxide. Alcohol or polymer foam. Dry chemical powder.

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Cover the spillage with sodium bicarbonate or similar powdered alkali. Transfer to a

suitable container. Neutralise with dilute hydrochloric acid testing with litmus paper

periodically. Wash down the drain with large amounts of water.

## 7. HANDLING AND STORAGE

**Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid direct contact with the

substance.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety goggles. Face-shield. Ensure eye bath is to hand.

**Skin protection:** Protective clothing with elasticated cuffs and closed neck. Boots made of PVC. PVC

apron covering the tops of the boots. Ensure safety shower is to hand.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid
Colour: Colourless
Odour: Odourless

Solubility in water: Miscible

### 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Direct sunlight. Heat.

Materials to avoid: Acids.

Haz. decomp. products: In combustion emits toxic fumes.

#### 11. TOXICOLOGICAL INFORMATION

**Ingredient 1:** CH2 #3

#### SODIUM HYDROXIDE 1.0N

#### IPR RAT LD50 40mg/kg

## 12. ECOLOGICAL INFORMATION

## 13. DISPOSAL CONSIDERATIONS

Waste disposal: Transfer to waste solvent drum for collection by specialist disposal company.

**Disposal of packaging** Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

#### 14. TRANSPORT INFORMATION

## ADR / RID

UN no: 1760 ADR Class: 8 Hazard ID no: 80

Labelling:

Shipping name: CORROSIVE LIQUID, N.O.S.

#### IMDG / IMO

**UN no:** 1760

Class: 8

Packing group: II

**EmS:** 8-15

Marine pollutant: YES

Labelling: 8

### IATA / ICAO

**UN no:** 1760

Class: 8

Packing group: II

**Packing instructions:** 812

**Quantity** 30 L

Labelling: 8

## 15. REGULATORY INFORMATION

Hazard symbols: Corrosive.

**Risk phrases:** R34: Causes burns.

**Safety phrases:** S1/2: Keep locked up and out of the reach of children.

S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36: Wear suitable protective clothing.

Note: The regulatory information given above only indicates the principal regulations

specifically applicable to the product described in the safety data sheet. The user's

## SODIUM HYDROXIDE 1.0N

attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

# 16. ADDITIONAL INFORMATION

**Risk phrases used in s.2:** R35: Causes severe burns.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any damage

resulting from handling or from contact with the above product.