

**SAFETY DATA SHEET**  
SULPHIDE REAGENT B

Page 1

Issued: 25/04/00

Revision No: 1

Danum Laboratory Services  
2 Duncroft Grove  
Rossington  
Doncaster DN11 0UL  
Tel: 01302 864668  
Fax: 01302 860880

**1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING**

**Product name:** SULPHIDE REAGENT B

**Product code:** RP5850

**Use / description of product:** Corrosive.

**2. COMPOSITION / INFORMATION ON INGREDIENTS**

**Ingredient 1:** DLS SULPHIDE REAGENT B >90%  
[C] R35;

**3. HAZARDS IDENTIFICATION**

**Main hazards:** Causes severe burns.

**4. FIRST AID MEASURES (SYMPTOMS)**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**4. FIRST AID MEASURES (ACTION)**

**Skin contact:** Drench the affected skin with running water for 10 minutes or longer if substance is still on skin.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** If conscious, give 1 pint of water to drink immediately.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Carbon dioxide. Dry chemical powder. Foam Mist Vapourising Liquids. Alcohol foam Do not use water.

**Exposure hazards:** In combustion emits toxic fumes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Refer to section 8 of SDS for personal protection details.

**7. HANDLING AND STORAGE**

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Respiratory protection:** Self-contained breathing apparatus must be used in handling.

**Hand protection:** Protective gloves.

**Eye protection:** Safety goggles.

**Skin protection:** Protective clothing with elasticated cuffs and closed neck.

[cont...]

**SAFETY DATA SHEET**  
SULPHIDE REAGENT B**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Oily liquid.  
**Colour:** Colourless to pale pink.  
**Odour:** Odourless  
**Solubility in water:** Miscible liberating much heat.  
**pH:** 0-1

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.  
**Conditions to avoid:** Heat.  
**Materials to avoid:** Water. Bases.  
**Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION****12. ECOLOGICAL INFORMATION****13. DISPOSAL CONSIDERATIONS**

**Waste disposal:** Dispose of as normal industrial waste.  
**Disposal of packaging** Dispose of as normal industrial waste.  
**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID**

**UN no:** 2796  
**ADR Class:** 8  
**Hazard ID no:** 80  
**Labelling:** 8  
**Shipping name:** BATTERY FLUID, ACID

**IMDG / IMO**

**UN no:** 2796  
**Class:** 8  
**Packing group:** II  
**EmS:** 8-15  
**Marine pollutant:** YES  
**Labelling:** 8

**IATA / ICAO****15. REGULATORY INFORMATION**

**Hazard symbols:** Corrosive.



**Risk phrases:** R35: Causes severe burns.  
**Safety phrases:** S2: Keep out of the reach of children.  
S26: In case of contact with eyes, rinse immediately with plenty of water and seek

[cont...]

**SAFETY DATA SHEET**  
SULPHIDE REAGENT B

medical advice.

S30: Never add water to this product.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. ADDITIONAL INFORMATION**

**Risk phrases used in s.2:** R35: Causes severe burns.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.