SAFETY DATA SHEET

ZINC INDICATOR SOLVENT

Issued: 27/04/00 Revision No: 1

Page 1

Danum Laboratory Services 2 Dunscroft Grove Rossington Doncaster DN11 0UL Tel: 01302 864668 Fax: 01302 860880

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: ZINC INDICATOR SOLVENT

Product code: RT1555

Use / description of product: Highly flammable. Liquid.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient 1: DLS ZINC INDICATOR SOLVENT >90%

[F] R11;

3. HAZARDS IDENTIFICATION

Main hazards: Highly flammable.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. FIRST AID MEASURES (ACTION)

Skin contact: Drench the affected skin with running water for 10 minutes or longer if substance is still on skin.
Eye contact: Bathe the eye with running water for 15 minutes.
Ingestion: If conscious, give 1 pint of water to drink immediately.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Dry chemical powder. Carbon dioxide. Alcohol foam Do not use water. Do not use vapourising liquids, dry powder.
 Exposure hazards: Extremely flammable. Vapour/air mixture explosive. Decomposes to emit acrid smoke and irritating fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not allow large quantities to enter local drainage systems

7. HANDLING AND STORAGE

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection: Self-contained breathing apparatus must be used in handling.

Hand protection: Protective gloves.

Issued: 27/04/00

SAFETY DATA SHEET

ZINC INDICATOR SOLVENT

Eye protection:	Safety goggles. Face-shield.	
Skin protection:	Protective clothing with elasticated cuffs and closed neck.	
9. PHYSICAL AND CHEMICAL PROPERTIES		
State:	Liquid	
Colour:	Colourless	
Odour:	Slight	
Solubility in water:	Miscible in all proportions	
Boiling point/range°C:	83	
Melting point/range°C:	-89	
Flash point°C:	12	
10. STABILITY AND REACTIVITY		
Stability:	Stable under normal conditions.	
Conditions to avoid:	Air. Oxygen Store at temperature below 8 degrees.	
Materials to avoid:	Oxidising agents. Aluminium.	
Haz. decomp. products:	Peroxides on prolonged storage	
11. TOXICOLOGICAL INF	ORMATION	
12. ECOLOGICAL INFORMATION		
13. DISPOSAL CONSIDER	ATIONS	
Waste disposal:	Dispose of as normal industrial waste.	
Disposal of packaging	Dispose of as normal industrial waste.	
NB:	The user's attention is drawn to the possible existence of regional or national regulations	
	regarding disposal.	
14. TRANSPORT INFORMATION		
ADR / RID		
UN no:	1274	
ADR Class:	3	
Hazard ID no:	33	
Labelling:	3	
Shipping name:	N-PROPANOL (PROPYL ALCOHOL, NORMAL)	
IMDG / IMO		
UN no:	1274	
Class:	3.2	
Packing group:	Π	
EmS:	3-06	
Marine pollutant:	NO	
Labelling:	3	
IATA / ICAO		
UN no:	1274	
Class:	3	
	[cont]	

SAFETY DATA SHEET

ZINC INDICATOR SOLVENT

Packing group:	II	
Packing instructions:	307	
Quantity	60 L	
Labelling:	3	
15. REGULATORY INFORMATION		
Hazard symbols:	Highly flammable.	
Risk phrases:	R11: Highly flammable.	
Safety phrases:	S2: Keep out of the reach of children.	
	S7: Keep container tightly closed.	
	S16: Keep away from sources of ignition - No smoking.	
Note:	The regulatory information given above only indicates the principal regulations	
	specifically applicable to the product described in the safety data sheet. The user's	
	attention is drawn to the possible existence of additional provisions which complete	
	these regulations. Refer to all applicable national, international and local regulations or	
	provisions.	
16. ADDITIONAL INFORMATION		
Risk phrases used in s.2:	R11: Highly flammable.	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive	
	and shall be used only as a guide. This company shall not be held liable for any damage	

resulting from handling or from contact with the above product.